MATERIALS SCIENCE AND ENGINEERING A VOLUME 185, NUMBERS 1–2, SEPTEMBER 15, 1994

Contents

Fatigue crack propagation in salt water, air and high vacuum in a spray-formed particulate-reinforced metal matrix composite . . 1
J. Llorca, J. Ruiz (Madrid, Spain), J. C. Healy (Sydney, NSW, Australia), M. Elices (Madrid, Spain) and C. J. Beevers (Birmingham, UK)

Hot work processing, microstructure and mechanical properties of two-phase γ titanium aluminides 17
X. D. Zhang, R. V. Ramanujan, T. A. Dean and M. H. Loretto (Birmingham, UK)

Influence of matrix strengtrh on reinforcement fracture and ductility in Al–Al_2O_3 composites 25
J. Llorca and P. Poza (Madrid, Spain)

Application of grain boundary engineering concepts to alleviate intergranular cracking in Alloys 600 and 690 39
C. Cheung, U. Erb (Kingston, Ont., Canada) and G. Palumbo (Toronto, Ont., Canada)

Hot-compression behavior and microstructure evolution of pre-alloyed powder compacts of near-γ titanium aluminide alloy . . 45
S. L. Semiatin (Dayton, OH, USA), G. R. Cornish and D. Eylon (Dayton, OH, USA)

Thermal analysis of phase transformations in a γ-TiAl alloy. 55
P. A. McQuay (Tokyo, Japan)

Reactive plasma spraying of $MoSi_2$ using an Ar–10%CH_4 powder carrier gas. 65
R. G. Castro, H. Kung and P. W. Stanek (Los Alamos, NM, USA)

Correlation between geometry and chemistry of a near $\Sigma 11$ grain boundary 71
M. C. Juhas (Columbus, OH, USA), L. Priester (Orsay, France) and M. Biscondi (Saint Etienne, France)

Intermetallic phases produced by the heat treatment of mechanically alloyed Al–Mo powders 77
M. Zdujić, D. Poleti, Lj. Karanović (Belgrade, Minor Yugoslavia), K. F. Kobayashi (Osaka, Japan) and P. H. Shingu (Kyoto, Japan)

Mechanical properties of an *in situ* synthesized Nb/Nb_3Al layered composite. 87
H. Cao, J. P. A. Löfvander, A. G. Evans (Santa Barbara, CA, USA), R. G. Rowe and D. W. Skelly (Schenectady, NY, USA)

Secondary ion mass spectrometry and surface profilometry characterization of oxide scales developed over various regions of weldments of 2.25Cr–1Mo steel 97
R. K. Singh Raman and A. K. Tyagi (Kalpakkam, India)

On the thermodynamic description of grain boundary segregation in polycrystals. 109
P. Lejček (Prague, Czech Republic)

Formation and properties of Mg-based metallic glasses in Mg–TM–X alloys (TM ≡ Cu or Ni; X ≡ Sn, Si, Ge, Zn, Sb, Bi or In) . . 115
S. Y. Su, Y. He, G. J. Shiflet and S. J. Poon (Charlottesville, VA, USA)

Use of position-dependent stress-free standards for diffraction stress measurements 123
A. D. Krawitz and R. A. Winholtz (Columbia, MO, USA)

Growth behavior and growth defects of carbon nanotubes 131
M. Liu and J. M. Cowley (Tempe, AZ, USA)

Application of amorphous magnetic wires to computer peripherals 141
K. Mohri (Nagoya, Japan)

Magnetic properties of mechanically alloyed Fe_3Sn 147
C. W. Pan, M. P. Hung and Y. H. Chang (Tainan, Taiwan)

Role of volume fraction in the coarsening of Ni_3Si precipitates in binary Ni–Si alloys 153
M. Meshkinpour and A. J. Ardell (Los Angeles, CA, USA)

High temperature performance of dispersion-strengthened Al–Ti alloys prepared by mechanical alloying 165
K. M. Lee and I. H. Moon (Seoul, South Korea)

LETTERS

Strength of short carbon fibres germinated and grown under hydrogen L1
A. Madroñero (Madrid, Spain)

CONTENTS (*continued*)

The dependence of the austenization kinetics on the type of initial spheroidized structure in low alloy steel L5
L. Karmazin and J. Krejčí (Brno, Czech Republic)

Elastic behaviour of an aluminium matrix composite reinforced with new alumina platelets L9
V. Massardier, R. Fougeres and P. Merle (Villeurbanne, France)

Comparison of numerical and approximate solutions for second-phase diffusion-controlled growth in finite geometries L13
J. L. L. Rezende and P. R. Rios (Rio de Janeiro, Brazil)

AUTHOR INDEX 171

SUBJECT INDEX 173